

# Ashampoo UnInstaller 8 manual

Ashampoo UnInstaller 8 makes it incredibly easy to remove programs without leftovers. This is achieved through the integrated installation monitor that creates detailed installation logs.

## Overview

Navigation	Installation monitoring
	Feature quick access
	History

## Navigation

This section hosts shortcuts to the available program modules. Simply click an entry to jump to the corresponding module.

## Installation monitoring

Use the switch to enable / disable installation monitoring. If enabled, a new icon will appear in your task tray and Ashampoo UnInstaller 8 will detect and log new installations automatically. Right-click the icon to access the context menu and use "" to manually trigger new installations. Alternatively, you can also left-click the icon.


## Feature quick access

This section provides status information on installed programs, plugins etc. Click the tiles to quickly access the affected program module.

## History

The most recently installed programs are listed here including uninstall buttons. Tiles for installations that have been monitored with Ashampoo UnInstaller 8 display an additional icon on a blue background.

## Program module structure



All modules follow a similar structure: A summary of selected entries is displayed at the top along with the ability to filter and search through them. Entries are displayed in the center and features applicable to said entries are displayed at the bottom.

## Ratings

Many module support star-based ratings, e.g. to rate the usability of a program. These ratings are based on an online database and are regularly updated through Ashampoo UnInstaller 8. You can

supply your own ratings by clicking the stars to bring up the corresponding dialog. Depending on the amount of available ratings, selected stars may appear either blue or yellow.

# Applications

Select "Applications" on the overview page to access the list of applications currently installed on your PC. Use the subtopics to filter the list, e.g. by size. Either click an entry to uninstall the affected program or use the check boxes to uninstall several applications in a row. Click "Uninstall" to remove the selected items from your PC.

You may also uninstall recently installed applications using the corresponding buttons for the list of most recent installations on the overview page.

## Filter

Use the drop-down menu to hide common installation, e.g. the .NET Framework. Use the text field to filter results by specific terms.

## Log file

Additional features are available for log files created with Ashampoo UnInstaller 8 [here](#).

### Show log file

Displays details, e.g. modified registry entries, for the selected installation.

### Export file list

Creates a text file with the paths of all program files for the selected installation.

### Export registry changes

Creates a .reg file with all registry modifications for the selected installation.

### Delete log without uninstalling

Deletes the log file without uninstalling the program. The program can still be uninstalled but will be treated as an "unmonitored" installation.

## More functions

### Delete entry

Removes the entry from both the program and the Windows-default overview of installed applications without uninstalling the program.

### Edit uninstall command line parameters

If needed, you can adjust the parameters used with the uninstallation script [here](#).

## **Search online**

Performs an online search with the selected entry using your default browser.

## **Rate online**

You may rate the program on a scale from 1 to 5 stars here. Alternatively, you can also click the stars behind a list entry to use this feature.

## **Download database**

Updates the local ratings database through the Internet.

## **Select none**

Deselects all entries.

## **Settings**

Opens the settings for this program section.

## **Refresh**

Reloads the list of installed applications.

## **Create report**

Creates a table view of all installed applications and opens it in the default browser.

## **Import logs**

Imports UnInstaller 4 log files.

## **Open logs folder**

Shows the folder containing the log files in Windows Explorer.

## **Uninstall**

Ashampoo UnInstaller 8 can perform additional in-depth cleaning to remove files created by an application during use. This feature is enabled by default. Usually, Ashampoo UnInstaller 8 detects when the uninstallation process is complete. However, you may have to manually notify the program using the corresponding button in some cases.

## **Uninstalled**

In the left navigation bar, "Uninstalled" lists all recently uninstalled applications and allows you to either delete the uninstall log file or perform in-depth cleaning, in case you had disabled this feature during the uninstallation.

# Install

In case auto-detection fails or if you'd rather trigger installation monitoring yourself, you can also drag the affected setup file into the area under "Install" or use the "Browse" button there to select it manually. If monitoring is enabled, you can also right-click the corresponding icon in the Windows notification area to access the context menu and use "" to manually trigger new installations. Alternatively, you can also left-click the icon.

During installations, you'll see a notification at the top of your screen. Simply follow the steps outlined by the affected setup. Usually, Ashampoo UnInstaller 8 will detect the end of the installation automatically. In some cases, you may have to manually stop the logging process by clicking "Installation completed". You'll then see a brief summary of the changes made during the installation.

## Windows-Apps

This module list all installed Windows apps including system apps and allows you to remove them. Note that Windows-default apps can only be restored by reinstalling Windows.

### More functions

#### Uninstall

Removes the selected apps from your PC. System apps ("critical apps") can either be partially or completely removed. Partial removal results in the app no longer showing up in the list of apps while retaining the app archive.

#### Rate online

You may rate the program on a scale from 1 to 5 stars here. Alternatively, you can also click the stars behind a list entry to use this feature.

#### Search online

Performs an online search with the selected entry using your default browser.

#### Open folder

Shows the folder containing the app in Windows Explorer.

#### Refresh

Reloads the list of installed apps.

#### Reinstall all default Windows apps

Restores all partially uninstalled system apps.

## Browser plug-ins

This module lists all browser plugins for your installed browsers. Use the left categories to filter results by browser manufacturer or the text field to filter by individual terms.

Either click an entry to uninstall the affected plugin or use the check boxes to uninstall several applications in a row. Click "Uninstall" to remove the selected items from your PC.

## **More functions**

### **Uninstall**

Removes the selected plugin from your PC. We recommend closing the affected browser before you proceed.

### **Rate online**

You may rate the plugin on a scale from 1 to 5 stars here. Alternatively, you can also click the stars behind a list entry to use this feature.

### **Search online**

Performs an online search with the selected entry using your default browser.

### **Display file properties**

Displays the Windows-default file properties for the selected plugin.

### **Open folder**

Shows the folder containing the plugin in Windows Explorer.

### **Refresh**

Reloads the list of installed plugins.

## **Snapshots**

Snapshots document the current state of your PC system at the time of creation. By comparing two snapshots, you may effectively trace any modifications for the affected time period. This may help diagnose software and hardware issues.

To create a snapshot, click "Create" and enter a name for the new snapshot.

### **Create log file**

Use this feature to create an installation log based on the differences between two snapshots. Note that the first snapshot describes the system before the "installation" while the second includes the changes. The program will then scan for newly installed applications and present you with an overview.

You will then have to select changes to include in the log file, followed by a brief summary. Click "Continue" to create the log file.

## Compare with

This feature allows you to compare two snapshots and visualize the changes, e.g. to find out what changes were made to your system during an installation. Simply select an existing snapshot and click "Compare with", followed by the snapshot to compare against. Depending on the number of system modifications, this process can take a few seconds.

Results will be displayed in different categories. Click "Generate report" to save the currently visible results as a text file to your PC which will be automatically opened in your default text viewer afterwards.

## More functions

### Refresh

Reloads the list of existing snapshots.

### Settings

Opens the program settings for this section.

### Open folder

Shows the folder containing the snapshots in Windows Explorer.

### Delete

Deletes the selected snapshots.

## Tools

These tools help you clean your system, remove no longer needed and leftover files and to defragment your drives. Note that some modules that delete files and folders will always move them to the recycle bin first with the exception of File Wiper. This allows you to restore files/folders in the event of malfunctions. However, if you set your recycle bin to always delete files this will also affect these modules in Ashampoo UnInstaller 8.

Registry Optimizer always creates backup. Should you experience any issues once cleaning is finished you can always revert any changes through [Backups](#).

## Drive Cleaner

Drive Cleaner scans your system for no longer needed files and displays results grouped by categories. Click the number of results to display details for each category.

Use the check boxes to select/deselect individual results or use the top buttons to select all/no results from a category. Click "Create report" to save your results as a text file..

## Registry Optimizer

Registry Optimizer scans your Windows Registry database for no longer needed entries and displays results grouped by categories. Click the number of results to display details for each category. Use the check boxes to select/deselect individual results or use the top buttons to select all/no results from a category. Click "Write a report" to save your results as a text file. Right click a result to access the context menu. You may then specify the entry as an exception to exclude it from future searches. You can remove exceptions in the settings for this module.

## Internet Cleaner

Right click a result to access the context menu. You may then specify the entry as an exception to exclude it from future searches. You can remove exceptions in the settings for this module. If needed, right-click an entry and use the context menu to specify the affected cookie as secure so it will no longer show up in future search results. This allows you to keep settings such as login data for your webmail account from being deleted every time you use Internet Cleaner so you won't have to input it again. You can modify the list of secure cookies in the settings for this module.

## StartUp Tuner

This module lists all applications that launch with Windows. Use the check boxes to enable/disable individual entries.

### Refresh

Updates the list of entries.

### Add / Edit

Allows you to add a program to the Windows startup sequence. Either a name and select the EXE file for the program or manually input a command line sequence.

### Download Ratings

Use this button to update the ratings in case you disabled auto-downloads in the settings for this module.

### Delete

Deletes an entry from the Windows startup sequence.

### Rate online

Allows you to rate an entry. Your rating will be shared with the community to make it available to other WinOptimizer users.

## Service Manager

Services are background programs required by Windows and other applications to work properly. This module lists all installed services and provides a rating on their usefulness. It also allows you to modify start types individually.

### Refresh

Updates the list.

### Download ratings

Use this button to retrieve current ratings in case you disabled auto-downloads.

### Details

Displays details such as service dependencies.

### Start

Starts a service.

### Stop

Stops a service.

### Start type

Allows you to modify the start type of a service:

#### Deactivate

The service is permanently disabled. Use the ratings to ascertain whether a service is vital to the functioning of your system first.

#### Manual

The service is inactive and started automatically as soon as it is needed.

#### Automatic

The service will start with Windows.

#### Automatic (delayed)

The service will start once Windows has finished loading to avoid slow downs.

## **Rate online**

Allows you to rate a service. Your rating will be shared with the community to make it available to other WinOptimizer users.

## **Undeleter**

Undeleter attempts to recover accidentally deleted files. Simply select a drive and click "Search". Then, select the files to be recovered. Use the search text field to narrow down the list of results and click "Restore" to recover the selected files. Make sure to select a different drive than the source as destination to avoid data loss.

## **File Associator**

File Associator allows you to associate file types with viewer/editor programs. File types that are currently unassociated are marked red. Click an entry to select it or hold down Shift to select multiple entries starting with the first selected entry or Ctrl to select multiple entries individually.

## **Settings**

Opens the module settings.

## **Refresh**

Updates the list of available file types.

## **Undo changes**

Restores the original program association for the selected file types.

## **Edit**

You can select the icon to be used on the Desktop and Windows Explorer and the viewer/editor for the selected file type here.

## **Delete**

Deletes the selected file type from your system.

## **Apply changes**

Applies your modifications.

# Backups

Use this module to undo changes made by WinOptimizer, e.g. through Registry Optimizer, should the changes have lead to undesired system behavior.

## Delete old backups

Deletes backups that are older than 7, 14 or 30 days. Click the arrow to select a time interval.

## Refresh

Updates the list of available backups.

## Show backup folder

Opens the backup folder in Windows Explorer.

## Restore

Restores the changes of the selected backup.

## Delete

Deletes the selected backup from your system.

## Switch view

Toggles between a quick overview and a detailed list of your backups.

# File Wiper

When Windows deletes a file, the affected disk space is marked as reusable. As long as it isn't used for new data, the original data is still there and can be recovered easily. FileWiper overwrites these areas with data such as zeros so the data can no longer be recovered.

## Settings

Opens the module settings.

## Add

### Folder

Adds a folder to the list that will be permanently erased.

### File(s)

Adds one or more files to the list that will be permanently erased.

## **Trashcan contents**

Adds the contents of the recycle bin to the list.

## **Free disk space**

Overwrites free disk space on the selected drive to render previously deleted files/folder unrecoverable.

## **Clear list**

Deletes all entries from the list.

## **Remove from list**

Deletes the currently selected entry from the list.

## **Abort**

Cancel the current operation.

## **Wipe data**

Overwrites the selected areas permanently.

# **Settings**

## **Basic functions**

Use these settings to select a different program language or look.

## **Uninstaller**

Select whether system components like graphics drivers should be listed under "Applications".

## **Installation guard**

These settings allow you to determine how the program identifies setups and which file properties will be used for detection.

## **Snapshots**

Select drives to be included in the creation of snapshots here and specify folders that will generally be excluded.

## **Drive Cleaner**

Select what information Drive Cleaner should delete and which drives should be scanned. You may also select files/folders to be excluded from scans.

## **Registry Optimizer**

Select which elements to include in scans and whether only local drives should be scanned, e.g. to keep shortcuts to network drives that are currently disconnected. You can also remove exceptions you created using the context menu in Registry Optimizer here.

## **Internet Cleaner**

Select the file types to be deleted for each browser and adjust the list of secure cookies here.

## **File Associator**

These settings affect the formats that will be listed for each filter category. To include a file type, simply add its extension, e.g. ".bak", to the desired category. Use commas to separate multiple formats.

## **Undeleter**

These settings influence the presentation of search results and the handling of folder structures during file restoration.

## **File Wiper**

To render files irrecoverable, they have to be overwritten multiple times as specified by each deletion method.